IQ610

IP65 Wall mount enclosure for 1 or 2 panel meters

Manual – English 1.00



* Panel meter not included

Introduction

The IQ610 is a IP65 weatherproof wall mount enclosure for 1 or 2 panel meters. The IQ610 provides an easy solution to the installation and wiring of 1 or 2 panel meters (96 x 48).

The second panel meter can easily be installed by simply clipping the blocking plate away with a side cutter.


The IQ610 also has enough internal space for the mounting of other equipment such as a radio modem etc.

1 Features

- Weatherproof polycarbonate wall mount enclosure
- IP65 Protection rating
- Easy solution for installation and wiring of 1 or 2 panel meters
- Two 96 x 48 panel meters can be installed into a single wall mount enclosure
- A second panel meter can be installed by simply clipping the blocking plate away
- Enough internal space for mounting other equipment such as a radio modem etc.
- 1 year limited warranty

Page 2

2 Dimension & Template Drawing



The second panel meter can be installed by simply clipping the blanking plate away with a side cutter.

3 Specifications

Enclosure:	
Unit Dimensions	180x130x165mm (7.087x5.118x6.496")
Enclosure Sealing	Tongue and groove with Neoprene seal
Enclosure Material	Polycarbonate (grey base, Transparent grey lid)
IP Protection Rating	IP65
Weight	720g
Panel meter mounting face plate material	Fibreglass
Gland clamping/sealing range	2 Glands, 4-8mm (0.157-0.314") Diameter wire

4 Ordering Information

IQ610 - IP65 Wall mount enclosure for 1 or 2 panel meters

5 Notice

Specifications of the products displayed herein are subject to change without notice. Infiniteq cc, or anyone on its behalf, assumes no responsibility or liability for any errors or inaccuracies.

Information contained herein is intended to provide a product description only. No license, express or implied, by estoppel or otherwise, to any intellectual property rights is granted by this document. Except as provided in Infiniteq's terms and conditions of sale for such products, Infiniteq assumes no liability whatsoever, and disclaims any express or implied warranty, relating to sale and/or use of Infiniteq products including liability or warranties relating to fitness for a particular purpose, merchantability, or infringement of any patent, copyright, or other intellectual property right.

The products shown herein are not designed for use in medical, life-saving, or life-sustaining applications. Customers using or selling these products for use in such applications do so at their own risk and agree to fully indemnify Infiniteq for any damages resulting from such improper use or sale.

6 Warranty

This product carries a warranty for a period of one year from date of purchase against faulty workmanship or defective materials, provided there is no evidence that the unit has been mishandled or misused. Warranty is limited to the replacement of faulty components and includes the cost of labor. Shipping costs are for the account of the purchaser.

Note: Product warranty excludes damages caused by unprotected, unsuitable or incorrectly wired electrical supplies and or sensors, and damage caused by inductive loads.

DISTRIBUTED BY:	